

TOMEI Camshaft Spec Card

PART NAME		PROCAM		ENGINE		L6	
PART NUMBER		1471310093					
GRIND	310° / 9.30mm	SOLID	BACE	Φ28.5	ROCKER ARM RATIO *	VALVE CLEARANCE IN	0.20
			CIRCLE(Φ)		1.5	WHEN COLD	EX 0.25
LIFT	@CAM 9.30mm	@VALVE 13.50mm	LOBE CENTER(°)	105.0			

* ALL LIFTS ARE BASED ON ZERO LASH AND THORETICAL ROCKER ARM RATIOS

CAM TIMING		OPENS(°)		CLOSES(°)		Actual Duration @ opening(°)
Actual Duration Valve Lift	IN	BTDC	50.0	ABDC	80.0	310.0
	EX	BBDC	80.0	ATDC	50.0	310.0





Values shown are, from start to the end of actual duration. (Excluding the ramp values)

CAM TIMING		OPENS(°)		CLOSES(°)		TOTAL DURATION(°)
at 1mm Valve Lift	IN	BTDC	32.0	ABDC	62.0	274.0
	EX	BBDC	62.0	ATDC	32.0	274.0

Values are of actual duration from start to end of 1mm value points. (Excluding ramp values)

CAM TIMING		OPENS(°)		CLOSES(°)		TOTAL DURATION(°)
at 0.05" Valve Lift	IN	BTDC	30.0	ABDC	60.0	270.0
	EX	BBDC	60.0	ATDC	30.0	270.0

Values are of actual duration from start to end of 0.05" value points. (Excluding ramp values)



REQUIRED VALVE SPRING SPEC	
NOMAL HEIGHT	
SET LENGTH	
LIFT LENGTH	
COMPRESSED HEIGHT	
SET LOAD	
LIFT LOAD	
TOMEI PART NUMBER	

REQUIRED PARTS	
PRODUCT NAME	TOMEI PART NUMBER